


AXON AG TRACK BROCHURE

Ag Tracks AND Ag UNDERCARRIAGE SOLUTIONS

SUPPORTING THE IMPLEMENT DEALER INDUSTRY WITH AG TRACK SOLUTIONS

AXON

www.axontire.com

Loc Performance

TOUGHER, LONGER-LASTING TRACKS BY Trackman


Loc Performance produces 150+ active track specifications and nearly unlimited combinations of track width, length, guide/drive lugs and tread lugs.




WHY TRACKS?


- Greater productivity
- Trackman reduces ground pressure up to 65% compared to tires.
- Less compaction and superior flotation.
- Improved traction and more efficiency in any conditions.






30 YEARS OF INNOVATION







POSITIVE DRIVE RUBBER TRACKS

- MAXXTUFF™ steel belting provides the highest concentration of reinforcement in the market.
- High-performance Trackman T600 XP maximizes drive lug life in high pull/draw bar applications. Up to a 70% reduction in vibration with our exclusive Anti-Vibration Technology.

DRIVE LUG REINFORCEMENT

T700 ARMOR*
- Proven performance extending drive lug life up to 23% over standard tracks.

T800 ULTRA*
- Handles today's biggest, most powerful tractors while extending life up to 40% longer than any other positive-drive track.

FRICTION DRIVE RUBBER TRACKS

- Patented galvanized cable for improved corrosion resistance and longer life.
- MAXXTUFF™ steel belting provides the highest concentration of reinforcement in the market.

Trackman by Loc

OUTWORKS. OUTLASTS. OUTPERFORMS. **OUT HERE.**


*Only available in certain areas.
*ARMOR = ARMORLUG® and ULTRA = ARMORLUG® ULTRA

Call us at **888-980-1208** or email **sales@axontire.com**


AXON

Ag Tracks


Agricultural Rubber Tracks




TRACKMAN® HP EXTREME




TRACKMAN® RUBBER TRACKS




CONSTRUCTION LAYERS



ARMOUR LUG LAYERS



FULLY- MOLDED TRACK



TRACK VIBRATION

Call us at **888-980-1208** or email **sales@axontire.com**

AXON

Ag Tracks

Loc Spec#	Loc HV Case Specs	Tractor Vehicle	Description	Warranty Period	Length	Width	Tread lug count	Tread Pitch	Tread lug height	Guide lug count	MAXXTUFF™ Layers	Carcass Thickness	Ship Weight	Shipping Dimensions	Comments
CLAAS LEXION Combines															
616190		CLAAS LEXION Combines	Trackman® HP Plus	4 -year AG Application	264"	25"	88	6"	2.5"	44	3	1.25"	970	30"x120"x31"	
616210		CLAAS LEXION Combines	Trackman® HP Plus	4 -year AG Application	264"	29"	88	6"	2.5"	44	3	1.25"	1080	30"x120"x35"	
616220		CLAAS LEXION Combines	Trackman® HP Plus	4 -year AG Application	264"	35"	88	6"	2.5"	44	3	1.25"	1260	45"x120"x41"	
CATERPILLAR CHALLENGER ROW CROP 35/45/55															
526330		CHALLENGER 35/45/55	Trackman® HP	4 year AG Application	319"	16	106	6.0"	2.0"	53	3	1.25"	830	30"x156"x22"	
528250		CHALLENGER 35/45/55	Trackman® HP	4 year AG Application	319"	18	106	6.0"	2.0"	53	3	1.25"	895	30"x156"x24"	
526340		CHALLENGER 35/45/55	Trackman® HP	4 year AG Application	319"	24	106	6.0"	2.0"	53	3	1.25"	1095	30"x156"x30"	
526350		CHALLENGER 35/45/55	Trackman® HP	4 year AG Application	319"	30	106	6.0"	2.0"	53	3	1.25"	1311	30"x156"x36"	
CATERPILLAR CHALLENGER TILLAGE 65/75/85/95 *															
616520		CHALLENGER 65-95	Trackman® HP Extreme	4 -year AG Application	339"	24	74	9.0"	2.75"	37	3	1.50"	1382	45"x144"x35"	
616530		CHALLENGER 65-95	Trackman® HP Extreme	4 -year AG Application	339"	30	74	9.0"	2.75"	37	4	1.50"	1702	45"x144"x39"	
CHALLENGER MT700															
612320		CHALLENGER MT735/ MT745/ MT755/MT765	Trackman® HP	4 year AG Application	348"	16"	116	6.0"	2.0"	58	4	1.25"	924	84"x90"x23"	Prior to MY 2019
612330		CHALLENGER MT735/ MT745/ MT755/MT765	Trackman® HP	4 year AG Application	348"	18"	116	6.0"	2.0"	58	4	1.25"	998	84"x90"x25"	Prior to MY 2019
613480		CHALLENGER MT735/ MT745/ MT755/MT765	Trackman® HP Extreme	4 year AG Application	349"	16"	90	7.7"	2.75"	45	4	1.50"	1031	84"x90"x23"	Prior to MY 2019
613490		CHALLENGER MT735/ MT745/ MT755/MT765	Trackman® HP Extreme	4 year AG Application	349"	18"	90	7.7"	2.75"	45	4	1.50"	1138	84"x90"x25"	Prior to MY 2019
616540		CHALLENGER MT735/ MT745/ MT755/MT765	Trackman® HP Extreme	4 year AG Application	351"	24"	78	9.0"	2.75	78	4	1.50"	1404	84"x90"x31"	Prior to MY 2019
616550		CHALLENGER MT735/ MT745/ MT755/MT765	Trackman® HP Extreme	4 year AG Application	351"	30"	78	9.0"	2.75	78	4	1.50"	1691	84x90x37	Prior to MY 2019
CHALLENGER MT800 / FENDT Vario Series 1100MT															
616560		CHALLENGER MT835/ MT845/ MT855/ MT865/MT875	Trackman® HP Extreme	4 YR AG, 2 YR SC Application	396"	30"	88	9.0"	2.75"	66	4	1.50"	1983	90"x84"x36"	
616560		Fendt Vario MT Series 1151/ 1156/ 1162/1167	Trackman® HP Extreme	4 YR AG, 2 YR SC Application	396"	30"	88	9.0"	2.75"	66	4	1.50"	1983	90"x84"x36"	
616570		CHALLENGER MT835/ MT845/ MT855/ MT865/MT875	Trackman® HP Extreme	4 YR AG, 2 YR SC Application	396"	36"	88	9.0"	2.75"	66	4	1.50"	2309	90"x84"x42"	
616570		Fendt Vario MT Series 1151/ 1156/1162/ 1167	Trackman® HP Extreme	4 YR AG, 2 YR SC Application	396"	36"	88	9.0"	2.75"	66	4	1.50"	2309	90"x84"x42"	

AXON

Ag Tracks

Loc Spec#	Loc HV Case Specs	Tractor Vehicle	Description	Warranty Period	Length	Width	Tread lug count	Tread Pitch	Tread lug height	Guide lug count	MAXXTUFF™ Layers	Carcass Thickness	Ship Weight	Shipping Dimensions	Comments
JOHN DEERE 8000T															
527850		JOHN DEERE 8000T	Trackman® HP	4 year AG Application	324"	16"	108	6.0"	2.0"	54	3	1.25"	873	30"x156"x22"	
528240		JOHN DEERE 8000T	Trackman® HP	4 year AG Application	324"	18"	108	6.0"	2.0"	54	3	1.25"	943	30"x156"x24"	
527860		JOHN DEERE 8000T	Trackman® HP	4 year AG	324"	24"	108	6.0"	2.0"	54	3	1.25"	1147	30"x156"x30"	
527870		JOHN DEERE 8000T	Trackman® HP	4 year AG	324"	30"	108	6.0"	2.0"	54	3	1.25"	1356	30"x156"x36"	
613530		JOHN DEERE 8000T	Trackman® HP Extreme	4 year AG	325"	16"	84	7.7"	2.75"	42	4	1.50"	969	30"x156"x22"	
613540		JOHN DEERE 8000T	Trackman® HP Extreme	4 year AG	325"	18"	84	7.7"	2.75"	42	4	1.50"	1068	30"x156"x24"	
616430		JOHN DEERE 8000T	Trackman® HP Extreme	4 year AG	324"	24"	72	9.0"	2.75"	54	4	1.50"	1360	30"x156"x30"	
616440		JOHN DEERE 8000T	Trackman® HP Extreme	4 year AG	324"	30"	72	9.0"	2.75"	54	4	1.50"	1636	30"x156"x36"	
JOHN DEERE 9000T															
616450		JOHN DEERE 9000T	Trackman® HP Extreme	4 -year AG	378"	30"	84	9	2.75"	84	3	1.50"	1795	84"x90"x37"	
616460		JOHN DEERE 9000T	Trackman® HP Extreme	4 -year AG	378"	36"	84	9	2.75"	84	3	1.50"	2250	84"x90"x43"	
JOHN DEERE 8RT															
612140		JD 8295RT/ 8320RT/8345RT	Trackman® HP	4 year AG	354"	16"	118	6.0"	2.0"	59	4	1.25"	931	84"x90"x23"	
612150		JD 8295RT/ 8320RT/8345RT	Trackman® HP	4 year AG	354"	18"	118	6.0"	2.0"	59	4	1.25"	1012	84"x90"x25"	
613510		JD 8295RT/ 8320RT/8345RT	Trackman® HP Extreme	4 year AG	357"	16"	92	7.7"	2.75"	46	4	1.50"	1048	84"x90"x23"	
613520		JD 8295RT/ 8320RT/8345RT	Trackman® HP Extreme	4 year AG	357"	18"	92	7.7"	2.75"	46	4	1.50"	1157	84"x90"x25"	
616470		JD 8295RT/ 8320RT/8345RT	Trackman® HP Extreme	4 year AG	357"	24"	78	9.0"	2.75"	78	4	1.50"	1480	84"x90"x31"	
616480		JD 8295RT/ 8320RT/8345RT	Trackman® HP Extreme	4 year AG	357"	30"	78	9.0"	2.75"	78	4	1.50"	1754	84"x90"x37"	
JOHN DEERE 9030T/9RT															
616490		JD 9430T/ 9530T/9630T	Trackman® HP Extreme	4 YR AG, 2 YR SC	387"	30"	86	9.0"	2.75"	86	4	1.50"	2015	84"x90"x37"	
616510		JD 9430T/ 9530T/9630T	Trackman® HP Extreme	4 YR AG, 2 YR SC	387"	36"	86	9.0"	2.75"	86	4	1.50"	2261	84"x90"x43"	
John Deere 9RX															
617080		9RX	Trackman®T700 XP with ARMORLUG® AG	4 YR AG, 2 YR SC	270"	30"	90	6"	2"	45	4	1.35"	1196	30"x120"x36"	
617090		9RX	Trackman®T700 XP with ARMORLUG® AG	4 YR AG, 2 YR SC	270"	36"	90	6"	2"	45	4	1.35"	1399	45"x120"x42"	
CASE IH 9300															
611810	386848A1	CNH 9300	Trackman® T600XP	4 year AG 2 YR SC	234"	30"	78	6.0"	2.0"	39	4	1.25"	997	30"x120"x36"	
CASE IH Quadtrac															
616850	51457436 -58073	CNH x	Trackman® T600 XP AG	4 year AG	252"	30"	84	6.0"	2.0"	42	3	1.25"	1052	30"x120"x36"	QT Ag Models 555HP and Below 252" Length

AXON

Ag Tracks

Loc Spec#	Loc HV Case Specs	Tractor Vehicle	Description	Warranty Period	Length	Width	Tread lug count	Tread Pitch	Tread lug height	Guide lug count	MAXXTUFF™ Layers	Carcass Thickness	Ship Weight	Shipping Dimensions	Comments
CASE IH Quadtrac															
616860	51457437-SERVICE	CNH Quadtrac	Trackman® T600 XP AG	4 year AG	252"	36"	84	6.0"	2.0"	42	3	1.25"	1242	45"x120"x42"	QT Ag Models 555HP and Below 252" Length
615270	47826945-58073	CNH Quadtrac	Trackman® T700 ARMORLUG®AG	4 year AG	252"	30"	84	6.0"	2.0"	42	4	1.25"	1071	30"x120"x36"	ALL QT Ag Models 252" Length
615640	47829015-58073	CNH Quadtrac	Trackman® T700 ARMORLUG® Scraper	2 Year SC	252"	30"	84	6.0"	2.0"	42	4	1.25"	1071	30"x120"x36"	ALL QT SC Models 252" Length
615280	47829014-SERVICE	CNH Quadtrac	Trackman® T700 ARMORLUG®AG	4 year AG	252"	36"	84	6.0"	2.0"	42	4	1.25"	1310	45"x120"x42"	ALL QT Ag Models 252" Length
616260	84379424-58073	CNH Quadtrac	Trackman® T800 ARMORLUG® ULTRA AG	5 year AG	252"	30"	84	6.0"	2.0"	42	4	1.25"	1071	30"x120"x36"	ALL QT Ag Models 252" Length
611980	84379427-58073	CNH Quadtrac	Trackman® T800 ARMORLUG® ULTRA Scraper	3 year SC	252"	30"	84	6.0"	2.0"	42	4	1.25"	1071	30"x120"x36"	ALL QT SC Models 252" Length
612570	84379425-SERVICE	CNH Quadtrac	Trackman® T800 ARMORLUG® ULTRA AG	5 year AG	252"	36"	84	6.0"	2.0"	42	4	1.25"	1310	45"x120"x42"	ALL QT Ag Models 252" Length
CASE ROW CROP CASE MAGNUM ROWTRAC															
617280	91775762-SERVICE	CNH Row Crop	Trackman® T600 RowTech™	4 year AG	264"	16.5"	88	6.0"	1.75"	44	5	1.50"	764	30"x120"x22"	
617290	91775762-SERVICE	CNH Row Crop	Trackman® T600 RowTech™	4 year AG	264"	18"	88	6.0"	1.75"	44	5	1.50"	811	30"x120"x24"	
617140	91775762-SERVICE	CNH Row Crop	Trackman® T600 RowTech™	4 year AG	264"	24"	88	6.0"	1.75"	44	5	1.50"	1094	30"x120"x30"	
617150	91775762-SERVICE	CNH Row Crop	Trackman® T600 RowTech™	4 year AG	264"	30"	88	6.0"	1.75"	44	5	1.50"	1228	30"x120"x36"	
616460		JOHN DEERE 9000T	Trackman® HP Extreme	4 -year AG	378"	36"	84	9	2.75"	84	3	1.50"	2250	84"x90"x43"	
NEW HOLLAND T9 SMARTTRAX (Utilizes various undercarriages)															
615550	615550-59076	New Holland T9 SmartTrax	Trackman® T600 XP	4 year AG	252"	36"	84	6.0"	2.0"	42	4	1.25"	1310	45"x120"x42"	High Idler 252"ATI Undercarriage ONLY (2011 thru 2015)
617270	??	New Holland T9 SmartTrax	Trackman® T600 XP	4 year AG	234"	36"	78	6.0"	2.0"	39	4	1.25"	997	30"x120"x36"	Triangular 234" ATI Undercarriage ONLY (2016-2023)
616850	51457436-58073	New Holland T9 SmartTrax	Trackman® T600 XP AG	4 year AG Application	252"	30"	84	6.0"	2.0"	42	3	1.25"	1052	30"x120"x36"	MY 24 + T9 Ag Models 555HP and Below 252" Length
616860	51457437-SERVICE	New Holland T9 SmartTrax	Trackman® T600 XP AG	4 year AG	252"	36"	84	6.0"	2.0"	42	3	1.25"	1242	45"x120"x42"	MY 24 + T9 Ag Models 555HP and Below 252" Length
615270	47826945-58073	New Holland T9 SmartTrax	Trackman® T700 ARMORLUG®AG	4 year AG	252"	30"	84	6.0"	2.0"	42	4	1.25"	1071	30"x120"x36"	All MY 24+ ALL MY T9 Ag 252" Length
615280	47829014-SERVICE	New Holland T9 SmartTrax	Trackman® T700 ARMORLUG®AG	4 year AG	252"	36"	84	6.0"	2.0"	42	4	1.25"	1310	45"x120"x42"	All MY 24+ ALL MY T9 Ag 252" Length

AXON

Ag Tracks

Loc Spec#	Loc HV Case Specs	Tractor Vehicle	Description	Warranty Period	Length	Width	Tread lug count	Tread Pitch	Tread lug height	Guide lug count	MAXXTUFF™ Layers	Carcass Thickness	Ship Weight	Shipping Dimensions	Comments
NEW HOLLAND T9 SMARTTRAX (Utilizes various undercarriages)															
616260	84379424-58073	New Holland T9 SmartTrax	Trackman® T800 ARMORLUG® ULTRA AG	5 year AG	252"	30"	84	6.0"	2.0"	42	4	1.25"	1071	30"x120"x36"	All MY 24+ ALL MY T9 Ag 252" Length
612570	84379425-SERVICE	New Holland T9 SmartTrax	Trackman® T800 ARMORLUG® ULTRA AG	5 year AG	252"	36"	84	6.0"	2.0"	42	4	1.25"	1310	45"x120"x42"	All MY 24+ ALL MY T9 Ag 252" Length
NEW HOLLAND ROW CROP NEW HOLLAND GENESIS T8 SMARTTRAX															
617280	91775762-SERVICE	New Holland Row Crop	Trackman® T600 RowTech™	4 year AG	264"	16.5"	88	6.0"	1.75"	44	5	1.50"	764	30"x120"x22"	
617290	91775763-SERVICE	New Holland Row Crop	Trackman® T600 RowTech™	4 year AG	264"	18"	88	6.0"	1.75"	44	5	1.50"	811	30"x120"x24"	
617140	91775765-SERVICE	New Holland Row Crop	Trackman® T600 RowTech™	4 year AG	264"	24"	88	6.0"	1.75"	44	5	1.50"	1094	30"x120"x30"	
617150	91775766-SERVICE	New Holland Row Crop	Trackman® T600 RowTech™	4 year AG	264"	30"	88	6.0"	1.75"	44	5	1.50"	1228	30"x120"x36"	All MY 24+ ALL MY T9 Ag 252" Length
VERSATILE															
617320		Versatile Delta	Trackman® T700 ARMORLUG AG	4 year AG	252"	30"	84	6.0"	1.75"	42	4	1.25"	1119	30"x120"x36"	All MY 24+ ALL MY T9 Ag 252" Length
617120		Versatile Delta	Trackman® T700 ARMORLUG AG	4 year AG	252"	36"	84	6.0"	1.75"	42	4	1.25"	1329	45"x120"x42"	All MY 24+ ALL MY T9 Ag 252" Length
618370		Versatile Delta	Trackman® T700 ARMORLUG Scraper	2 year SC	252"	30"	84	6.0"	1.75"	42	4	1.25"	1119	30"x120"x36"	All MY 24+ ALL MY T9 Ag 252" Length


MTO = Made to Order





AXON


Ag Tracks


Midrollers



CASE MAGNUM ROWTRAC™ NARROW ROLLER



CASE MAGNUM ROWTRAC™ WIDE ROLLER



CASE STEIGER COMBINE



CASE STEIGER QUADTRAC®



CASE STEIGER QUADTRAC®



CASE STEIGER QUADTRAC®



CASE STEIGER ROWTRAC™ NARROW ROLLER


CASE STEIGER ROWTRAC™ WIDE ROLLER



CAT® 65-95



CAT® 35-55


CHALLENGER MEDIUM


CHALLENGER NARROW


CHALLENGER WIDE



JOHN DEERE® 8RT NARROW


JOHN DEERE® 8RT WIDE


AXON

Ag Tracks


Midrollers




JOHN DEERE® 8000T




JOHN DEERE® 8000T
BEARING BORE




JOHN DEERE® 8000T
CAST IRON WIDE BOLT ON




JOHN DEERE® 8000T
CAST IRON NARROW BOLT ON




JOHN DEERE® 8000T
NARROW BOLT ON




JOHN DEERE® 9000T




JOHN DEERE® 9000T
BEARING BORE




JOHN DEERE® 9RT




JOHN DEERE® 9RX
WIDE BOLT ON



NEW HOLLAND GENESIS SMART
TRAX NARROW ROLLER



NEW HOLLAND GENESIS SMART
TRAX WIDE ROLLER



VERSATILE®
WIDE BOGIE WHEEL

AXON

Drive & Idler Wheels

MAKE/MODEL	DESCRIPTION	OE PART #	QTY	WEIGHT	CFI RUBBER PART #
CAT65-95	Standard Front Idler	1R-1346P	4	325	RFIC65R8
CAT65-95	Drive Wheel	1R1184P(RH)/ 1R1185P(LH)	4	350	RDWC65R-L / R
CAT65-95	Drive Wheel Sm Re-Ring	1R-1347P(RH)/ 1R-1348P(LH)	4	350	RDWC65SR-L / R
CAT35-55	Front Idler-1/4" f.s offset	1R-1204P (pre RC99)	4	162	RFIC35R
CAT35-55	Front Idler-2-1/4" f.s. offs	1R-1204P (pre RC99)	4	162	RFIC35R
CAT35-55	5" Drive Wheel	1R-1230P(RH)/1R-1231P(LH)	2	805	RDWC35R5-L / R
Agco MT700	Rebuilt 5" Front Idler	548349D3	4	150	RFICMT7HLFR
Agco MT700	Rebuilt 5" Drive Wheel	504787D1(RH)/ 504788D1(LH)	4	407	RDWCMT7R5-L / R
Agco MT700	New 5" Drive Wheel	504787D1(RH)/ 504788D1(LH)	4	407	NDWCMT7R5-L / R
Agco MT800	Rebuilt 8" Front Idler	504784D1	4	252	RFICMT8R
Agco MT800	New 8" Front Idler	504784D1	4	252	NFICMT8R
Agco MT800	Rebuilt 8" Drive Wheel	504789D1/ 504790D1	4	560	RDWCMT8R8-L / R
Agco MT800	New 8" Drive Wheel	504789D1/ 504790D1	4	560	NDWCMT8R8-L / R
JD8000T	Rebuilt 5" Front Idler	RE221427	4	107	RFIJD8THLFR
JD8000T	New 5" Front Idler	RE221427	4	107	NFIJD8THLFR
JD8000T	5" Drive Wheel Whole	RE171404	2	740	RDWJD8TRW5
JD 8RT	Rebuilt 5" Front Idler	RE265435	4	166	RFIJD8RTR
JD 8RT	New 5" Front Idler	RE265435	4	166	NFIJD8RTR
JD 8RT	Rebuilt 5" Drive Wheel	RE265436(437)	4	560	RDWJD8RTR5-L / R
JD 8RT	New 5" Drive Wheel	RE265436(437)	4	715	NDWJD8RTR8-L / R
JD 8RT	Rebuilt 8" Drive Wheel	RE266291(292)	4	715	RDWJD8RTR8-L / R
JD9000T	Rebuilt 8" Front Idler	RE173535	4	282	RFIJD9THLFR
JD9000T	New 8" Front Idler	RE173535	4	282	NFIJD9THLFR
JD9000T	Drive Wheel	RE160676	2	1400	RDWJD9TR
JD9030T / JD9RT	New 8" Front Idler	RE242795	4	252	NFIJD9030R8
JD9030T / JD9RT	Rebuilt Drive Wheel	RE242804(803)	4	715	RDWJD9030R8-L / R
JD9030T / JD9RT	New Drive Wheel	RE242804(803)	4	715	NDWJD9030R8-L / R
CASE 9300	Rebuilt 8" Idler	199761A	16	125	RICIH9300R8
CASE STX	10" Idler Hub Mount Cast Spoked	87752138	16	125	RICIHSTXHUBR10
CASE STX	10" Idler Bolt-on	323903A2	16	125	RICIHSTXR10
CASE STX	10" Idler Bolt-On Cast Spoked	47762193/87441100	16	125	RICIHSTXCASTR10

AXON

Ag Tracks

DRIVE WHEELS



JD9000T




JD9RT/9030T & CAT 65-95 SERIES




JD8000T

IDLER WHEELS



JD8000 FRONT IDLER



9RT FRONT IDLER



CASE STX IDLER



UNDERCARRIAGE EQUIPMENT PACKAGE
John Deere 8000 Series



UNDERCARRIAGE EQUIPMENT PACKAGE
Fendt 900 MT

Call us at **888-980-1208** or email **sales@axontire.com**



AXON

1701 East Euclid Avenue
Des Moines, IA 50313

2265 Davis Court
Hayward, CA 94545

511 Cottonwood Dr,
Gothenburg, NE 69138

888-980-1208 | sales@axontire.com | www.axontire.com