


Parts Brochure

Ag Tracks
Ag Undercarriage Wheels
Construction Tracks
Ag Wheels & Accessories

SUPPORTING THE IMPLEMENT DEALER INDUSTRY WITH
AG & CONSTRUCTION TRACK & WHEEL SOLUTIONS

AXON

www.axontire.com

Loc Performance

TOUGHER, LONGER-LASTING TRACKS BY Trackman


Loc Performance produces 150+ active track specifications and nearly unlimited combinations of track width, length, guide/drive lugs and tread lugs.




WHY TRACKS?


- Greater productivity
- Trackman reduces ground pressure up to 65% compared to tires.
- Less compaction and superior flotation.
- Improved traction and more efficiency in any conditions.






30 YEARS OF INNOVATION







POSITIVE DRIVE RUBBER TRACKS

- MAXXTUFF™ steel belting provides the highest concentration of reinforcement in the market.
- High-performance Trackman T600 XP maximizes drive lug life in high pull/draw bar applications. Up to a 70% reduction in vibration with our exclusive Anti-Vibration Technology.

DRIVE LUG REINFORCEMENT

T700 ARMOR*
- Proven performance extending drive lug life up to 23% over standard tracks.

T800 ULTRA*
- Handles today's biggest, most powerful tractors while extending life up to 40% longer than any other positive-drive track.

FRICTION DRIVE RUBBER TRACKS


- Patented galvanized cable for improved corrosion resistance and longer life.
- MAXXTUFF™ steel belting provides the highest concentration of reinforcement in the market.

Trackman by Loc


OUTWORKS. OUTLASTS. OUTPERFORMS. **OUT HERE.**

*Only available in certain areas.
*ARMOR = ARMORLUG® and ULTRA = ARMORLUG® ULTRA


Agricultural Rubber Tracks




TRACKMAN® HP EXTREME




TRACKMAN® RUBBER TRACKS




CONSTRUCTION LAYERS



ARMOUR LUG LAYERS



FULLY- MOLDED TRACK



TRACK VIBRATION

Ag Tracks

Loc Spec#	Loc HV Case Specs	Tractor Vehicle	Description	Warranty Period	Length	Width	Tread lug count	Tread Pitch	Tread lug height	Guide lug count	MAXXTUFF™ Layers	Carcass Thickness	Ship Weight	Shipping Dimensions	Comments
CLAAS LEXION Combines															
616190		CLAAS LEXION Combines	Trackman® HP Plus	4 -year AG Application	264"	25"	88	6"	2.5"	44	3	1.25"	970	30"x120"x31"	
616210		CLAAS LEXION Combines	Trackman® HP Plus	4 -year AG Application	264"	29"	88	6"	2.5"	44	3	1.25"	1080	30"x120"x35"	
616220		CLAAS LEXION Combines	Trackman® HP Plus	4 -year AG Application	264"	35"	88	6"	2.5"	44	3	1.25"	1260	45"x120"x41"	
CATERPILLAR CHALLENGER ROW CROP 35/45/55															
526330		CHALLENGER 35/45/55	Trackman® HP	4 year AG Application	319"	16	106	6.0"	2.0"	53	3	1.25"	830	30"x156"x22"	
528250		CHALLENGER 35/45/55	Trackman® HP	4 year AG Application	319"	18	106	6.0"	2.0"	53	3	1.25"	895	30"x156"x24"	
526340		CHALLENGER 35/45/55	Trackman® HP	4 year AG Application	319"	24	106	6.0"	2.0"	53	3	1.25"	1095	30"x156"x30"	
526350		CHALLENGER 35/45/55	Trackman® HP	4 year AG Application	319"	30	106	6.0"	2.0"	53	3	1.25"	1311	30"x156"x36"	
CATERPILLAR CHALLENGER TILLAGE 65/75/85/95 *															
616520		CHALLENGER 65-95	Trackman® HP Extreme	4 -year AG Application	339"	24	74	9.0"	2.75"	37	3	1.50"	1382	45"x144"x35"	
616530		CHALLENGER 65-95	Trackman® HP Extreme	4 -year AG Application	339"	30	74	9.0"	2.75"	37	4	1.50"	1702	45"x144"x39"	
CHALLENGER MT700															
612320		CHALLENGER MT735/ MT745/ MT755/MT765	Trackman® HP	4 year AG Application	348"	16"	116	6.0"	2.0"	58	4	1.25"	924	84"x90"x23"	Prior to MY 2019
612330		CHALLENGER MT735/ MT745/ MT755/MT765	Trackman® HP	4 year AG Application	348"	18"	116	6.0"	2.0"	58	4	1.25"	998	84"x90"x25"	Prior to MY 2019
613480		CHALLENGER MT735/ MT745/ MT755/MT765	Trackman® HP Extreme	4 year AG Application	349"	16"	90	7.7"	2.75"	45	4	1.50"	1031	84"x90"x23"	Prior to MY 2019
613490		CHALLENGER MT735/ MT745/ MT755/MT765	Trackman® HP Extreme	4 year AG Application	349"	18"	90	7.7"	2.75"	45	4	1.50"	1138	84"x90"x25"	Prior to MY 2019
616540		CHALLENGER MT735/ MT745/ MT755/MT765	Trackman® HP Extreme	4 year AG Application	351"	24"	78	9.0"	2.75	78	4	1.50"	1404	84"x90"x31"	Prior to MY 2019
616550		CHALLENGER MT735/ MT745/ MT755/MT765	Trackman® HP Extreme	4 year AG Application	351"	30"	78	9.0"	2.75	78	4	1.50"	1691	84x90x37	Prior to MY 2019
CHALLENGER MT800 / FENDT Vario Series 1100MT															
616560		CHALLENGER MT835/ MT845/ MT855/ MT865/MT875	Trackman® HP Extreme	4 YR AG, 2 YR SC Application	396"	30"	88	9.0"	2.75"	66	4	1.50"	1983	90"x84"x36"	
616560		Fendt Vario MT Series 1151/ 1156/ 1162/1167	Trackman® HP Extreme	4 YR AG, 2 YR SC Application	396"	30"	88	9.0"	2.75"	66	4	1.50"	1983	90"x84"x36"	
616570		CHALLENGER MT835/ MT845/ MT855/ MT865/MT875	Trackman® HP Extreme	4 YR AG, 2 YR SC Application	396"	36"	88	9.0"	2.75"	66	4	1.50"	2309	90"x84"x42"	
616570		Fendt Vario MT Series 1151/ 1156/1162/ 1167	Trackman® HP Extreme	4 YR AG, 2 YR SC Application	396"	36"	88	9.0"	2.75"	66	4	1.50"	2309	90"x84"x42"	

AXON

Ag Tracks

Loc Spec#	Loc HV Case Specs	Tractor Vehicle	Description	Warranty Period	Length	Width	Tread lug count	Tread Pitch	Tread lug height	Guide lug count	MAXXTUFF™ Layers	Carcass Thickness	Ship Weight	Shipping Dimensions	Comments
JOHN DEERE 8000T															
527850		JOHN DEERE 8000T	Trackman® HP	4 year AG Application	324"	16"	108	6.0"	2.0"	54	3	1.25"	873	30"x156"x22"	
528240		JOHN DEERE 8000T	Trackman® HP	4 year AG Application	324"	18"	108	6.0"	2.0"	54	3	1.25"	943	30"x156"x24"	
527860		JOHN DEERE 8000T	Trackman® HP	4 year AG	324"	24"	108	6.0"	2.0"	54	3	1.25"	1147	30"x156"x30"	
527870		JOHN DEERE 8000T	Trackman® HP	4 year AG	324"	30"	108	6.0"	2.0"	54	3	1.25"	1356	30"x156"x36"	
613530		JOHN DEERE 8000T	Trackman® HP Extreme	4 year AG	325"	16"	84	7.7"	2.75"	42	4	1.50"	969	30"x156"x22"	
613540		JOHN DEERE 8000T	Trackman® HP Extreme	4 year AG	325"	18"	84	7.7"	2.75"	42	4	1.50"	1068	30"x156"x24"	
616430		JOHN DEERE 8000T	Trackman® HP Extreme	4 year AG	324"	24"	72	9.0"	2.75"	54	4	1.50"	1360	30"x156"x30"	
616440		JOHN DEERE 8000T	Trackman® HP Extreme	4 year AG	324"	30"	72	9.0"	2.75"	54	4	1.50"	1636	30"x156"x36"	
JOHN DEERE 9000T															
616450		JOHN DEERE 9000T	Trackman® HP Extreme	4 -year AG	378"	30"	84	9	2.75"	84	3	1.50"	1795	84"x90"x37"	
616460		JOHN DEERE 9000T	Trackman® HP Extreme	4 -year AG	378"	36"	84	9	2.75"	84	3	1.50"	2250	84"x90"x43"	
JOHN DEERE 8RT															
612140		JD 8295RT/ 8320RT/8345RT	Trackman® HP	4 year AG	354"	16"	118	6.0"	2.0"	59	4	1.25"	931	84"x90"x23"	
612150		JD 8295RT/ 8320RT/8345RT	Trackman® HP	4 year AG	354"	18"	118	6.0"	2.0"	59	4	1.25"	1012	84"x90"x25"	
613510		JD 8295RT/ 8320RT/8345RT	Trackman® HP Extreme	4 year AG	357"	16"	92	7.7"	2.75"	46	4	1.50"	1048	84"x90"x23"	
613520		JD 8295RT/ 8320RT/8345RT	Trackman® HP Extreme	4 year AG	357"	18"	92	7.7"	2.75"	46	4	1.50"	1157	84"x90"x25"	
616470		JD 8295RT/ 8320RT/8345RT	Trackman® HP Extreme	4 year AG	357"	24"	78	9.0"	2.75"	78	4	1.50"	1480	84"x90"x31"	
616480		JD 8295RT/ 8320RT/8345RT	Trackman® HP Extreme	4 year AG	357"	30"	78	9.0"	2.75"	78	4	1.50"	1754	84"x90"x37"	
JOHN DEERE 9030T/9RT															
616490		JD 9430T/ 9530T/9630T	Trackman® HP Extreme	4 YR AG, 2 YR SC	387"	30"	86	9.0"	2.75"	86	4	1.50"	2015	84"x90"x37"	
616510		JD 9430T/ 9530T/9630T	Trackman® HP Extreme	4 YR AG, 2 YR SC	387"	36"	86	9.0"	2.75"	86	4	1.50"	2261	84"x90"x43"	
John Deere 9RX															
617080		9RX	Trackman®T700 XP with ARMORLUG® AG	4 YR AG, 2 YR SC	270"	30"	90	6"	2"	45	4	1.35"	1196	30"x120"x36"	
617090		9RX	Trackman®T700 XP with ARMORLUG® AG	4 YR AG, 2 YR SC	270"	36"	90	6"	2"	45	4	1.35"	1399	45"x120"x42"	
CASE IH 9300															
611810	386848A1	CNH 9300	Trackman® T600XP	4 year AG 2 YR SC	234"	30"	78	6.0"	2.0"	39	4	1.25"	997	30"x120"x36"	
CASE IH Quadtrac															
616850	51457436 -58073	CNH x	Trackman® T600 XP AG	4 year AG	252"	30"	84	6.0"	2.0"	42	3	1.25"	1052	30"x120"x36"	QT Ag Models 555HP and Below 252" Length

AXON

Ag Tracks

Loc Spec#	Loc HV Case Specs	Tractor Vehicle	Description	Warranty Period	Length	Width	Tread lug count	Tread Pitch	Tread lug height	Guide lug count	MAXXTUFF™ Layers	Carcass Thickness	Ship Weight	Shipping Dimensions	Comments
CASE IH Quadtrac															
616860	51457437-SERVICE	CNH Quadtrac	Trackman® T600 XP AG	4 year AG	252"	36"	84	6.0"	2.0"	42	3	1.25"	1242	45"x120"x42"	QT Ag Models 555HP and Below 252" Length
615270	47826945-58073	CNH Quadtrac	Trackman® T700 ARMORLUG®AG	4 year AG	252"	30"	84	6.0"	2.0"	42	4	1.25"	1071	30"x120"x36"	ALL QT Ag Models 252" Length
615640	47829015-58073	CNH Quadtrac	Trackman® T700 ARMORLUG® Scraper	2 Year SC	252"	30"	84	6.0"	2.0"	42	4	1.25"	1071	30"x120"x36"	ALL QT SC Models 252" Length
615280	47829014-SERVICE	CNH Quadtrac	Trackman® T700 ARMORLUG®AG	4 year AG	252"	36"	84	6.0"	2.0"	42	4	1.25"	1310	45"x120"x42"	ALL QT Ag Models 252" Length
616260	84379424-58073	CNH Quadtrac	Trackman® T800 ARMORLUG® ULTRA AG	5 year AG	252"	30"	84	6.0"	2.0"	42	4	1.25"	1071	30"x120"x36"	ALL QT Ag Models 252" Length
611980	84379427-58073	CNH Quadtrac	Trackman® T800 ARMORLUG® ULTRA Scraper	3 year SC	252"	30"	84	6.0"	2.0"	42	4	1.25"	1071	30"x120"x36"	ALL QT SC Models 252" Length
612570	84379425-SERVICE	CNH Quadtrac	Trackman® T800 ARMORLUG® ULTRA AG	5 year AG	252"	36"	84	6.0"	2.0"	42	4	1.25"	1310	45"x120"x42"	ALL QT Ag Models 252" Length
CASE ROW CROP CASE MAGNUM ROWTRAC															
617280	91775762-SERVICE	CNH Row Crop	Trackman® T600 RowTech™	4 year AG	264"	16.5"	88	6.0"	1.75"	44	5	1.50"	764	30"x120"x22"	
617290	91775762-SERVICE	CNH Row Crop	Trackman® T600 RowTech™	4 year AG	264"	18"	88	6.0"	1.75"	44	5	1.50"	811	30"x120"x24"	
617140	91775762-SERVICE	CNH Row Crop	Trackman® T600 RowTech™	4 year AG	264"	24"	88	6.0"	1.75"	44	5	1.50"	1094	30"x120"x30"	
617150	91775762-SERVICE	CNH Row Crop	Trackman® T600 RowTech™	4 year AG	264"	30"	88	6.0"	1.75"	44	5	1.50"	1228	30"x120"x36"	
616460		JOHN DEERE 9000T	Trackman® HP Extreme	4 -year AG	378"	36"	84	9	2.75"	84	3	1.50"	2250	84"x90"x43"	
NEW HOLLAND T9 SMARTTRAX (Utilizes various undercarriages)															
615550	615550-59076	New Holland T9 SmartTrax	Trackman® T600 XP	4 year AG	252"	36"	84	6.0"	2.0"	42	4	1.25"	1310	45"x120"x42"	High Idler 252"ATI Undercarriage ONLY (2011 thru 2015)
617270	??	New Holland T9 SmartTrax	Trackman® T600 XP	4 year AG	234"	36"	78	6.0"	2.0"	39	4	1.25"	997	30"x120"x36"	Triangular 234" ATI Undercarriage ONLY (2016-2023)
616850	51457436-58073	New Holland T9 SmartTrax	Trackman® T600 XP AG	4 year AG Application	252"	30"	84	6.0"	2.0"	42	3	1.25"	1052	30"x120"x36"	MY 24 + T9 Ag Models 555HP and Below 252" Length
616860	51457437-SERVICE	New Holland T9 SmartTrax	Trackman® T600 XP AG	4 year AG	252"	36"	84	6.0"	2.0"	42	3	1.25"	1242	45"x120"x42"	MY 24 + T9 Ag Models 555HP and Below 252" Length
615270	47826945-58073	New Holland T9 SmartTrax	Trackman® T700 ARMORLUG®AG	4 year AG	252"	30"	84	6.0"	2.0"	42	4	1.25"	1071	30"x120"x36"	All MY 24+ ALL MY T9 Ag 252" Length
615280	47829014-SERVICE	New Holland T9 SmartTrax	Trackman® T700 ARMORLUG®AG	4 year AG	252"	36"	84	6.0"	2.0"	42	4	1.25"	1310	45"x120"x42"	All MY 24+ ALL MY T9 Ag 252" Length


Ag Tracks

Loc Spec#	Loc HV Case Specs	Tractor Vehicle	Description	Warranty Period	Length	Width	Tread lug count	Tread Pitch	Tread lug height	Guide lug count	MAXXTUFF™ Layers	Carcass Thickness	Ship Weight	Shipping Dimensions	Comments
NEW HOLLAND T9 SMARTTRAX (Utilizes various undercarriages)															
616260	84379424-58073	New Holland T9 SmartTrax	Trackman® T800 ARMORLUG® ULTRA AG	5 year AG	252"	30"	84	6.0"	2.0"	42	4	1.25"	1071	30"x120"x36"	All MY 24+ ALL MY T9 Ag 252" Length
612570	84379425-SERVICE	New Holland T9 SmartTrax	Trackman® T800 ARMORLUG® ULTRA AG	5 year AG	252"	36"	84	6.0"	2.0"	42	4	1.25"	1310	45"x120"x42"	All MY 24+ ALL MY T9 Ag 252" Length
NEW HOLLAND ROW CROP NEW HOLLAND GENESIS T8 SMARTTRAX															
617280	91775762-SERVICE	New Holland Row Crop	Trackman® T600 RowTech™	4 year AG	264"	16.5"	88	6.0"	1.75"	44	5	1.50"	764	30"x120"x22"	
617290	91775763-SERVICE	New Holland Row Crop	Trackman® T600 RowTech™	4 year AG	264"	18"	88	6.0"	1.75"	44	5	1.50"	811	30"x120"x24"	
617140	91775765-SERVICE	New Holland Row Crop	Trackman® T600 RowTech™	4 year AG	264"	24"	88	6.0"	1.75"	44	5	1.50"	1094	30"x120"x30"	
617150	91775766-SERVICE	New Holland Row Crop	Trackman® T600 RowTech™	4 year AG	264"	30"	88	6.0"	1.75"	44	5	1.50"	1228	30"x120"x36"	All MY 24+ ALL MY T9 Ag 252" Length
VERSATILE															
617320		Versatile Delta	Trackman® T700 ARMORLUG AG	4 year AG	252"	30"	84	6.0"	1.75"	42	4	1.25"	1119	30"x120"x36"	All MY 24+ ALL MY T9 Ag 252" Length
617120		Versatile Delta	Trackman® T700 ARMORLUG AG	4 year AG	252"	36"	84	6.0"	1.75"	42	4	1.25"	1329	45"x120"x42"	All MY 24+ ALL MY T9 Ag 252" Length
618370		Versatile Delta	Trackman® T700 ARMORLUG Scraper	2 year SC	252"	30"	84	6.0"	1.75"	42	4	1.25"	1119	30"x120"x36"	All MY 24+ ALL MY T9 Ag 252" Length


MTO = Made to Order




Midrollers




CASE MAGNUM ROWTRAC™ NARROW ROLLER




CASE MAGNUM ROWTRAC™ WIDE ROLLER




CASE STEIGER COMBINE




CASE STEIGER QUADTRAC®




CASE STEIGER QUADTRAC®




CASE STEIGER QUADTRAC®




CASE STEIGER ROWTRAC™ NARROW ROLLER



CASE STEIGER ROWTRAC™ WIDE ROLLER




CAT® 65-95



CAT® 35-55




CHALLENGER MEDIUM




CHALLENGER NARROW



CHALLENGER WIDE




JOHN DEERE® 8RT NARROW



JOHN DEERE® 8RT WIDE

Midrollers




JOHN DEERE® 8000T




JOHN DEERE® 8000T
BEARING BORE




JOHN DEERE® 8000T
CAST IRON WIDE BOLT ON




JOHN DEERE® 8000T
CAST IRON NARROW BOLT ON




JOHN DEERE® 8000T
NARROW BOLT ON




JOHN DEERE® 9000T




JOHN DEERE® 9000T
BEARING BORE




JOHN DEERE® 9RT




JOHN DEERE® 9RX
WIDE BOLT ON



NEW HOLLAND GENESIS SMART
TRAX NARROW ROLLER



NEW HOLLAND GENESIS SMART
TRAX WIDE ROLLER



VERSATILE®
WIDE BOGIE WHEEL

Drive & Idler Wheels

MAKE/MODEL	DESCRIPTION	OE PART #	QTY	WEIGHT	CFI RUBBER PART #
CAT65-95	Standard Front Idler	1R-1346P	4	325	RFIC65R8
CAT65-95	Drive Wheel	1R1184P(RH)/ 1R1185P(LH)	4	350	RDWC65R-L / R
CAT65-95	Drive Wheel Sm Re-Ring	1R-1347P(RH)/ 1R-1348P(LH)	4	350	RDWC65SR-L / R
CAT35-55	Front Idler-1/4" f.s offset	1R-1204P (pre RC99)	4	162	RFIC35R
CAT35-55	Front Idler-2-1/4" f.s. offs	1R-1204P (pre RC99)	4	162	RFIC35R
CAT35-55	5" Drive Wheel	1R-1230P(RH)/1R-1231P(LH)	2	805	RDWC35R5-L / R
Agco MT700	Rebuilt 5" Front Idler	548349D3	4	150	RFICMT7HLFR
Agco MT700	Rebuilt 5" Drive Wheel	504787D1(RH)/ 504788D1(LH)	4	407	RDWCMT7R5-L / R
Agco MT700	New 5" Drive Wheel	504787D1(RH)/ 504788D1(LH)	4	407	NDWCMT7R5-L / R
Agco MT800	Rebuilt 8" Front Idler	504784D1	4	252	RFICMT8R
Agco MT800	New 8" Front Idler	504784D1	4	252	NFICMT8R
Agco MT800	Rebuilt 8" Drive Wheel	504789D1/ 504790D1	4	560	RDWCMT8R8-L / R
Agco MT800	New 8" Drive Wheel	504789D1/ 504790D1	4	560	NDWCMT8R8-L / R
JD8000T	Rebuilt 5" Front Idler	RE221427	4	107	RFIJD8THLFR
JD8000T	New 5" Front Idler	RE221427	4	107	NFIJD8THLFR
JD8000T	5" Drive Wheel Whole	RE171404	2	740	RDWJD8TRW5
JD 8RT	Rebuilt 5" Front Idler	RE265435	4	166	RFIJD8RTR
JD 8RT	New 5" Front Idler	RE265435	4	166	NFIJD8RTR
JD 8RT	Rebuilt 5" Drive Wheel	RE265436(437)	4	560	RDWJD8RTR5-L / R
JD 8RT	New 5" Drive Wheel	RE265436(437)	4	715	NDWJD8RTR8-L / R
JD 8RT	Rebuilt 8" Drive Wheel	RE266291(292)	4	715	RDWJD8RTR8-L / R
JD9000T	Rebuilt 8" Front Idler	RE173535	4	282	RFIJD9THLFR
JD9000T	New 8" Front Idler	RE173535	4	282	NFIJD9THLFR
JD9000T	Drive Wheel	RE160676	2	1400	RDWJD9TR
JD9030T / JD9RT	New 8" Front Idler	RE242795	4	252	NFIJD9030R8
JD9030T / JD9RT	Rebuilt Drive Wheel	RE242804(803)	4	715	RDWJD9030R8-L / R
JD9030T / JD9RT	New Drive Wheel	RE242804(803)	4	715	NDWJD9030R8-L / R
CASE 9300	Rebuilt 8" Idler	199761A	16	125	RICIH9300R8
CASE STX	10" Idler Hub Mount Cast Spoked	87752138	16	125	RICIHSTXHUBR10
CASE STX	10" Idler Bolt-on	323903A2	16	125	RICIHSTXR10
CASE STX	10" Idler Bolt-On Cast Spoked	47762193/87441100	16	125	RICIHSTXCASTR10

DRIVE WHEELS



JD9000T



JD9RT/9030T & CAT 65-95 SERIES



JD8000T

IDLER WHEELS



JD8000 FRONT IDLER



9RT FRONT IDLER



CASE STX IDLER



UNDERCARRIAGE EQUIPMENT PACKAGE
John Deere 8000 Series




UNDERCARRIAGE EQUIPMENT PACKAGE
Fendt 900 MT

Track Loader Guide Styles








T-GUIDE STYLE

Features:

Raised Blocks for Improved Durability | Prevents Damage to Rail Surface | OEM Specifications for Takeuchi®, Gehl ®, Mustang ® CTL



B-GUIDE STYLE

Features:

Built Up Smooth Rolling Surface for Smooth Ride | Exact Circumferential Specifications for Many CTLs | Specially Formulated Rubber Compound




Tread Patterns

TERRAIN GUIDE

	• C-LUG	DIRT			ASPHALT	GRAVEL	GRASS
	• STAGGERED BLOCK	DIRT			ASPHALT	GRAVEL	GRASS
	• ZIG ZAG	DIRT	MUD	SNOW		GRAVEL	GRASS
	•MTL	DIRT	MUD	SNOW	ASPHALT	GRAVEL	GRASS
	• EXCAVATOR	DIRT	MUD	SNOW	ASPHALT	GRAVEL	GRASS

Why Tracks



To be honest, I don't shop with anybody else anymore. I tell AXON, 'Here's my situation, here's what they have, and here's what I want to do. They've done a really good job helping us grow our business and keep our clients happy.

RUBBER COMPOUND

- Precision-manufactured from a combination of high-quality synthetic and virgin natural rubber
- Superior flexibility
- Resistance to abrasion and tears

PATTERN VARIETY

- Improved traction
- Enhanced surface protection
- Available in non-marking compound

STEEL DRIVE LINKS


- Unmatched strength and durability
- Ensures fitment, reliability, and longevity
- Reduced vibration in virtually any operating condition

CONTINUOUS STEEL CORD TECHNOLOGY

- Helically wound to improve strength and even weight distribution
- Eliminates seams to ensure the entire track circumference maintains its integrity for life.

To discuss your specific needs, call us at 888-980-1208

Manufactured using rubber compounds formulated over many years to provide optimum durability and performance in the toughest applications, our track portfolio offers unparalleled value. Designed to eliminate stretch, Continuous Steel Cord "CSC" track construction maximizes strength while minimizing vibration, ensuring smooth operation. Available for 4,000 plus machines, AXON has you covered with our "Guaranteed Fit" warranty program.



Standard OEM Wheels



JOHN DEERE 15X50 DUAL WHEEL



JOHN DEERE 16X42 DUAL WHEEL



JOHN DEERE 16X46 DUAL WHEEL



JOHN DEERE 15X34 WAFFLE WHEEL



JOHN DEERE 23X38 DUAL WHEEL



JOHN DEERE 16X42 STUB DISC



CASEIH 18X42 DUAL WHEEL



JOHN DEERE 16X46 STUB DISC




JOHN DEERE 20X26 COMBINE REAR WHEEL



JOHN DEERE 15X50 STUB DISC



JOHN DEERE 25X26 COMBINE REAR WHEEL




PRONAR DUAL WHEELS

*Wheels are available in a wide variety of makes, models, bolt patterns, and wheel types.

Accesories


Extensions / Hubs



JOHN DEERE
10 BOLT WEDG-LOK HUB


CASE IH 10 BOLT WEDG-LOK HUB


JOHN DEERE HUB INSERT


CASE IH HUB INSERT


JOHN DEERE 15.5" FWD EXT


CASE IH 15.5" FWD EXT


CASE IH 6" FWD EXT 8 BOLT


JOHN DEERE 8" FWD EXT 8 BOLT


CASE IH 29.5" HUB EXT 10 BOLT


JOHN DEERE 36" FWD EXT 12 BOLT


CASE IH 6" FWD EXT 6 BOLT


JOHN DEERE 15" HUB EXT 10 BOLT


*Available in a wide variety of makes, models, and links.

Accesories


DISCS /Centers




CASE IH DISCS 24" 6 CLAMP 6-11.22




JOHN DEERE DISCS 24" WAFFLE 8-10.82



JOHN DEERE DISCS 28/30 6 CLAMP 8-8




NEW HOLLAND DISCS 28/30 WAFFLE 6-1.22-9.84 WHITE 3 BOLT




JOHN DEERE DISCS 24" 6 CLAMP 6-11.22




KUBOTA DISCS 28/30 WAFFLE 8-8



CASE IH DISCS 34" WAFFLE 8-12.992




FENDT DISCS 34" WAFFLE 10-13.19



CASE IH DISCS 38" WAFFLE 12-16.73



CASE IH DISCS 38" RIM & RAIL 8-8



NEW HOLLAND DISCS 38" WAFFLE 8-15.94



JOHN DEERE DISCS 38" WAFFLE 8-8

*Available in a wide variety of colors, bolt patterns, and wheel types.

Accesories

Hardware



- RIM & RAIL SPACER
- WAFFLE HARDWARE KIT (BOLT/NUT/WASHER)
- CLAMP HARDWARE KIT (BOLT/NUT/WASHER)
- FWD EXTENSION BOLT
- WAFFLE SPACER
- BAND DUAL HARDWARE
- AXEL HUB HARDWARE
- RIM AND RAIL KIT (BOLT/NUT/WASHER)

Combine Frame Extensions



15.25" AXLE SHAFT (18 SPLINE)




USED 15.5" JD COMBINE FRAME EXT (NO HARDWARE)




SLEEVE FOR 18 SPLINE AXLE SHAFT

Sprayer Fender Kits



AGRI-ARMOR SPRAYER FENDER

*Available in many different makes and models.



AXON

1701 East Euclid Avenue
Des Moines, IA 50313

2265 Davis Court
Hayward, CA 94545

511 Cottonwood Dr,
Gothenburg, NE 69138

888-980-1208 | sales@axontire.com | www.axontire.com